AMENDMENTS TO THE CLAIMS:

The listing of claims will replace all prior versions, and listings of claims in the application:

LISTING OF THE CLAIMS

(Currently Amended) A method for a transmission system to transmit multimedia contents to a plurality of mobile terminals via-a radiocommunication network, said transmission system comprising a first server adapted to provide a point to point content transmission service, which method includes the following steps comprising:

a first step of said first a multimedia messaging services center (MMSC) server adapted to provide a point-to-point content transmission service transmitting a multimedia messaging services (MMS)-standardized point-to-point link notification over a radiocommunication network including an identifier specific to a content over a dedicated point-to-point transmission channel to all terminals registered with said first MMSC server as interested in said content;

a second step of said first MMSC server transmitting Broadcast-request to a second multimedia broadcast multicast system (MBMS) broadcast multicast service center (BM-SC) server adapted to provide a broadcast content transmission service a broadcast request to broadcast a message, said broadcast request including said content in its entirety and said identifier; and

a third step of said second <u>BM-SC</u> server broadcasting said message over a broadcast channel.

2. (Currently Amended) The transmission method according to claim 1, wherein, in said first step, said identifier sent to said terminals is accompanied by a value corresponding to a waiting time for reception of said content by said terminals and if said waiting time passes without said terminals receiving said content, said terminals requesting to download said content from said first MMSC server via said dedicated point-to-point transmission channel.

- 3. (Canceled)4. (Canceled)5. (Canceled)
 - 6. (Canceled)
- 7. (Previously Presented) The transmission method according to claim 1, wherein the point-to-point link notification is M-Notification.ind.
- 8. (Previously Presented) The transmission method according to claim 1, wherein said identifier includes uniform resource identifier information serving as a unique identifier.
- 9. (Currently Amended) The transmission method according to claim 1, further comprising said first MMSC server transmitting a decryption key to said terminals for use by the terminals in decrypting said content.
- 10. (Currently Amended) The reception method according to claim 1 [4] further comprising:

said mobile terminal receiving in said first step a value accompanying said identifier corresponding to a waiting time for reception of said content, wherein if said waiting time passes without said terminal receiving said content, said mobile terminal requesting to download said content from said <a href="mailto:first-bulbet-bul

11. (Currently Amended) A method of reception of multimedia content by a mobile terminal adapted to communicate via a radiocommunication network with a point-to-point content transmission multimedia messaging services center (MMSC) server, said method comprising:

a mobile terminal receiving an identifier specific to a <u>multimedia</u> <u>messaging services (MMS) multimedia</u> content from a <u>first said MMSC</u> server in an <u>MMS-standardized point-to-point link notification</u> over a dedicated point-to-point <u>radiocommunication network</u> transmission channel;

said first MMSC server transmitting said content in its entirety and said identifier in an MMS broadcast request to a second multimedia broadcast multicast system (MBMS) broadcast multicast service center (BM-SC) server adapted to provide a broadcast content transmission service; and

said mobile terminal receiving a message from said seeend <u>BM-SC</u> server over a broadcast channel including said content and said identifier.

12. (Currently Amended) The reception method according to claim 11 further comprising:

said <u>mobile</u> terminal receiving a decryption key over the dedicated point-topoint transmission channel; and

said mobile terminal utilizing said decryption key to decrypt said content.

(Currently Amended) The reception method according to claim
further comprising:

said mobile terminal receiving a value accompanying said identifier corresponding to a waiting time for reception of said content, wherein if said waiting time passes without said mobile terminal receiving said content, said terminal said mobile terminal requesting to download said content from said first MMSC server via said dedicated point-to-point transmission channel.

14. (New) The transmission method according to claim 1 further comprising:

the MMSC server receiving an M-NotifyResp.ind acknowledgement message from the mobile terminals receiving the M-Notification ind message.